


HAMMERS, CHISELS, SPATULAS

Head

Mechanical blocking of the hammer head with a steel wedge, sealed with synthetic resin.



Side made of fibre glass reinforced plastic, coated with a comfortable anti-slip handle.



Shaft

Security shaft made of 3 components:
Core made of thick-walled aluminium tube in high strength alloy, coated with chemically resistant and waterproof polyamide.



The whole chisel range is made of chrome vanadium steel and stands for top quality.



It is really easy to spread plaster, render, and mortar on the desired surface, making it smooth.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

	Design	Size mm	PU	Article no.
	 3-component club hammer and cross peen hammer			
	Mechanical blocking of the hammer head with a steel wedge, sealed with synthetic resin. Peen and cross sanded.			
	Security shaft made of 3 components with ergonomically shaped handle: Core made of fibre glass reinforced plastic, coated with a comfortable anti-slip and anti-vibration handle - the additional rubberised handle surface provides a secure grip even with wet or oily hands.			
	  Cross peen hammer			
	according to DIN 1041/1193			
	Hammer weight g			
	300		1	13 0403
	500		1	13 0405
1000		1	13 0410	
	  Club hammer			
	according to DIN 6475/1193			
	Hammer weight g			
	800		1	13 0708
	1000		1	13 0710
1250		1	13 0712	
1500		1	13 0715	
	  Safety cross peen hammer			
	Dimensions and finish certified according to GS. DIN 1041/1193.			
	With protective shaft collar and additional nylon protective shaft sleeve. With double curved hickory shaft, hammer head double secured by tapered collar and synthetic resin seal.			
	  Safety club hammer			
	according to DIN 6475/1193, other processing as above			
	Hammer weight g			
	200		1	13 0580
	300		1	13 0582
400		1	13 0584	
500		1	13 0586	
1000		1	13 0592	
	  Safety club hammer			
	according to DIN 6475/1193, other processing as above			
	Hammer weight g			
	1000		1	13 0600
	1250		1	13 0602
1500		1	13 0604	
	  Cross peen hammer			
	according to DIN 1041/1193, GS certified, with polished, curved hickory shaft, hammer head secured by ring wedge.			
	Hammer weight g			
	300		1	13 0804
	500		1	13 0808
	  Club hammer			
	according to DIN 6475/1193, GS certified, with polished, curved hickory shaft, hammer head secured by ring wedge.			
	Hammer weight g			
	1000		1	13 0880
	1250		1	13 0882
	Plastic hammer			
	with interchangeable Cellidor inserts, for hammering out and flattening metal sheets and frames or for use with sensitive surfaces (paint, enamel, galvanisation, chrome-plating)			
	Head 35 mm ø		1	13 1053

Design	Size mm	PU	Article no.		
--------	---------	----	-------------	--	--

Electrician's chisel

made of chrome vanadium steel

Blade width mm	Steel thickness mm				
10	8	250	1	13 0006	
12	8	250	1	13 0008	
15	10	250	1	13 0010	



Stone chisel

according to DIN 7254 A, made of chrome vanadium air-hardening steel

Blade width mm	Steel thickness mm				
26	20 x 12	250	1	13 0022	
29	23 x 13	300	1	13 0024	



Octagonal stone chisel

according to DIN 7254 B, made of chrome vanadium air-hardening steel

Blade width mm	Steel thickness mm				
23	16	250	1	13 0032	
26	18	300	1	13 0034	



Octagonal pointed chisel

according to DIN 7256, made of chrome vanadium air-hardening steel

	Steel thickness mm				
	16	250	1	13 0052	
	18	300	1	13 0054	



Octagonal slot chisel

made of chrome vanadium air-hardening steel

Blade width mm	Steel thickness mm				
30	18	240	1	13 0070	



Pointed punch

for centring drill holes, according to DIN 7250, octagonal, made of chrome vanadium air-hardening steel

	Steel thickness mm				
	10	120	1	13 0210	



Drift punch set with pointed punch, 6-piece

made of chrome vanadium air hardened steel, length 120 mm, in plastic container, for cutting through sheet metal and thin metals, pin punching and driving in nails

1 each of the following: 1 - 2 - 3 - 4 - 5 mm ø, pointed punch 120 x 10 mm

	120	1	13 0354	
--	-----	---	---------	--



Pin punch set, 6-piece

made of chrome vanadium steel, length 150 mm, in plastic container, for punching out pins, dowel pins, and clips from drill holes

1 each of the following: 3 - 4 - 5 - 6 - 7 - 8 mm ø

	150	1	13 0358	
--	-----	---	---------	--



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26



Design

Size mm

PU

Article no.

Nail setter

made of chromium molybdenum vanadium air-hardening steel, completely hardened and head tempered.
For setting steel nails with a cylindrical shaft and thread (holder M6)

M 6

170

1

13 0075

Hand protection for nail setter

1

13 0076

Bevelled edge chisel

according to DIN 5139, with side bevel, polished wooden haft and blade protection

Blade width mm

10

245

1

13 0524

15

260

1

13 0530

20

270

1

13 0534

22

275

1

13 0536

26

275

1

13 0538

Painter's spatula

made of steel, ground blade, with oval wooden haft

Width mm

25

185

1

13 1322

40

185

1

13 1324

50

205

1

13 1326

60

205

1

13 1328

Double spatula

plastic covered handle

Width mm

20

225

1

13 1404

Plasterer's spatula

according to DIN 6441 C, with painted wooden haft

Width mm

60

1

13 1420

70

1

13 1422

Plaster pan

made of sheet steel, hot-dip galvanised, with polished wooden haft

Height 75 mm

ø 180 mm

1

14 0302

Plaster cup

made of soft rubber

Height 90 mm

ø 125 mm

1

14 0306

Water brush

pure bristles

ø 24 mm

1

14 0310

Design	Size mm	PU	Article no.		
--------	---------	----	-------------	--	--

Chalk line roller

with push-system, storage space for serrated hooks and belt clip, body made of metal, cord length 15 m, including 60 g coloured powder

	1	14 0320	
--	---	---------	--

Coloured powder, grease and oil-free, in plastic bottle

blue	100 g	1	14 0322	
------	-------	---	---------	--



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26