TOOL BAGS

Tool bags in strong cowhide with galvanised riveted metal bottom tray.



Easy opening, low space requirement and improved tool removal.





Safe storage of electricians safety gloves and NH safety handle with reinforced dividing walls in the centre section.

Complete overview of all tools and maximum accessibility.





Fixing tools with foam insert.

,

าว

ว 4

Tool bags

Tool bags were manufactured long before tool cases and can be seen as the origin of tool transport. For good reasons, leather bags match their reputation of being almost indestructible given the right care. The simplicity of their structure, together with the selected high-quality materials and the many years of craftsmanship experience guarantee this. In addition, the more flexible materials are well suited to hard everyday use.

Bags are characterised by easy opening, a lower space requirement with a complete overview of the tools located in the tool bag. Not only is the VDE cowhide bag specially designed for maximum access, but it has a foam insert in the bottom as well as additional compartments for an NH safety handle or electrician's protective

Overview of bag types



Leather case Artikelnr. 17 6028, Seite 33



Tool bag VDE Artikelnr. 17 0078, Seite 34



Tool bag textil/woven fabric Artikelnr. 17 0940, Seite 35



Tool backpack Artikelnr. 17 0430, Seite 35



Industrial electrician tool bag S Artikelnr. 17 6000, Seite 36

Design Weight External dim. L/W/H Internal dim. L/W/H1/H2/H PU Article no.

Tool bag leather



With galvanised, riveted sheet metal bottom trough, folding down front panel, front and back walls, bottom, lid and extra-reinforced side parts, solid carrying handle, 2 key-operated locks, key locks at the side, bottom-sliders, lateral loops for shoulder strap, inner surfaces with numerous tool pockets and adjustable loops, outer edges additionally reinforced with aluminium corners and with folding rear wall, removable centre wall and document front pouch.

5300 g 375/500/245 mm 340/475/85/80/165 mm 1 17 6028



Tool assortment tool bag leather

Tool bag leather, black			1	17 6028	
1000 V telephone pliers with straight jaws	200 mm DIN ISO	5745	1	10 0216	-
1000 V telephone pliers with bent jaws 20	0 mm DIN ISO 57	45	1	10 0238	A CONTRACTOR OF THE PARTY OF TH
1000 V diagonal pliers 160 mm DIN ISO 5	749 B		1	10 0574	1
Wire strippers Super 4			1	10 0760	*
Electronic diagonal pliers up to 1.3 mm ø,	21°, 132 mm		1	10 1040	
Water pump pliers DIN ISO 8976 with ha	ndle sleeves 250 m	ım	1	10 1224	
Crimping plier system click 'n' crimp, electi	rical engineering		1	10 6000	7
Ball-end hex key set 7 pieces, size 2.5 - 10	, pocket-sized hold	der	1	11 0596	
Voltage tester 100-250 V AC 3.0/60 mm			1	11 1280	-
Precision screwdriver, slot-head screwdriver	er white 2.0×0.4	< 60 mm	1	11 1864	
1000 V slot-head screwdriver DIN EN 609	900 3.0 × 0.5 mm 1	85 mm	1	11 7702	
1000 V slot-head screwdriver DIN EN 609	900 4.0 × 0.8 mm 1	85 mm	1	11 7704	•
1000 V slot-head screwdriver DIN EN 609	900 5.5 × 1.0 mm 2	20 mm	1	11 7705	
1000 V Screwdriver crosshead 80 mm PH	1 DIN 7438		1	11 7731	0
1000 V Screwdriver crosshead 100 mm Ph	H 2 DIN 7438		1	11 7732	
1000 V Screwdriver crosshead 80 mm PZ	1		1	11 7741	
1000 V Screwdriver crosshead 100 mm PZ	Z 2		1	11 7742	
Cable shears DUOCUT, 160 mm with two	o-stage cutting area	ı	1	12 0108	1
Pocket saw PROFI, 150 mm span width			1	12 0490	
1000 V Safety cable stripping knife, straight	t strong blade, blad	e length 50 mm	1	12 1042	
Cable stripping knife system 4- 70			1	12 2016	A CONTRACTOR OF THE PARTY OF TH
	6700 g	375/500/245 mm	1	17 6350	

3

4

•

0

,

17

20

21

22

23

24

Article no. Design Weight External dim. L/W/H Internal dim. L/W/H1/H2/H PU Electricians's protective Tool bag VDE gloves protected by reinforced dividing walls in the Double stitched • . middle section Aluminium edges for case strengthening

Specially for safety tools and safety devices, all outer edges reinforced with aluminium corners. Side parts, front and back wall, bottom and cover with extra $reinforcement, front \ and \ back \ wall \ can \ be \ unfolded \ to \ a \ 90^{\circ} \ angle. \ Lockable \ key \ locks, \ lateral \ closures, \ heavy \ cleat \ carrying \ handle, \ numerous \ tool \ pockets,$ document compartment, lateral loops for shoulder strap, floor studs, foam inserts with recesses for spanner sockets. Particularly safe storage of electricians safety gloves and NH safety handle with two reinforced dividing walls.

5300 g	380/480/220 mm	325/445/60/65/60/200 mm	1	17 0078	
ool assortment tool bag VDE					
ool bag VDE, signal red			1	17 0078	
00 V plastic flat nose pliers, 200 mm			1	10 0796	
· · · · · · · · · · · · · · · · · · ·	ISO 5745	0	<u>'</u>	10 07 78	
00 V Telephone pliers with straight jaws 200 mm, DIN ISO		The Walls	1	10 8780	-
00 V Telephone pliers with bent jaws 200 mm, DIN ISC 00 V Combination pliers with flat jaws 185 mm, DIN ISC			1	10 8782	-
00 V high-leverage diagonal cutting pliers 200 mm, DIN			1	10 8784	
100 V Wire stripper with adjusting screw 160 mm, for co			1	10 8790	
000 V Offset screwdriver size 5, DIN EN 60900/VDE 06			1	11 0804	
000 V Offset screwdriver size 3, DIN EN 60900/VDE 06			1	11 0804	
	100 T at t 2		1	11 1432	
oltage tester up to 690 V, LED display	guana sa akat		1	11 2600	
000 V socket wrench insert DIN 7448, size $10, \frac{1}{2}$ inch so	•				
000 V socket wrench insert DIN 7448, size 11, 1/2 inch so	•		1	11 2602	
000 V socket wrench insert DIN 7448, size 13, ½ inch so	•		1	11 2606	
000 V socket wrench insert DIN 7448, size 14, 1/2 inch so			1	11 2608	-
000 V socket wrench insert DIN 7448, size 17, 1/2 inch so	•		1	11 2610	
000 V socket wrench insert DIN 7448, size 19, ½ inch so	quare socket		1	11 2612	
200 V Reversible ratchet, ¹ / ₂ inch			1	11 2628	-
000 V T-handle, ¹ / ₂ inch	450		1	11 2650	
2000 V Open-ended spanner size 10 105 mm, DIN 7446,			1	11 2708	
2000 V Open-ended spanner size 13 132 mm, DIN 7446,			1	11 2714	
200 V Open-ended spanner size 17 160 mm, DIN 7446,			1	11 2720	
000 V Open-ended spanner size 19 170 mm, DIN 7446,			1	11 2722	
2000 V Open-ended spanner size 22 195 mm, DIN 7446,			1	11 2724	
000 V slot-head screwdriver DIN EN 60900 2.5 \times 0.4 mr			1	11 7701	
000 V slot-head screwdriver DIN EN 60900 4.0 x 0.8 mr			1	11 7704	
000 V slot-head screwdriver DIN EN 60900 6.5 x 1.2 mr			1	11 7706	-
000 V slot-head screwdriver DIN EN 60900 8.0 x 1.2 mr	m 285 mm		1	11 7708	
000 V Screwdriver crosshead 80 mm PH 1 DIN 7438			1	11 7731	
000 V Screwdriver crosshead 100 mm PH 2 DIN 7438			1	11 7732	
000 V nut driver 220 mm DIN 7445 5.5 x 125 mm			1	11 7805	
000 V nut driver 235 mm DIN 7445 7.0 x 125 mm			1	11 7807	- ⁽¹⁾
000 V nut driver 235 mm DIN 7445 8.0 x 125 mm			1	11 7808	
000 V nut driver 235 mm DIN 7445 10.0 x 125 mm			1	11 7810	
000 V One-hand cable shears 160 mm for cables up to 1			1	12 0206	
000 V Safety cable stripping knife, straight strong blade, b			1	12 1042	-
000 V protection slip-on snout size 1 holder 10 mm max			5	14 0166	
000 V protection slip-on snout size 2 holder 10 mm max	k. diameter		5	14 0168	
000 V protection slip-on snout size 3 holder 10 mm max	k. diameter		5	14 0170	
astic clip			2	14 0180	4
000 V Electrical safety gloves, size 10, length 410 mm, ma	aterial thickness 1.0		1	14 0214	
sulating tape universal DIN EN 60454, colour red 25 mn			1	16 0145	S MOT
13 500 g	380/480/220 mm		1	17 0378	

Design Weight External dim. L/W/H Internal dim. L/W/H1/H2/H PU Article no.

Tool bag textil/woven fabric



Made of hard-wearing plastic fabric, bag cover with additional reinforcement, for even distribution of the load, 4 strong plastic floor sliders make sure it is stable, the water and dirt resistant plastic coating on the bottom makes it easy to clean, additional elastic straps on the lid, numerous tool insertion straps, trolley holder and business card holder on the back, practical tool segments to flexibly hold tools on the middle wall, lateral loops for the shoulder straps (included in the scope of delivery).

Opening function 30° and 90° (side walls).



Backpack for tool transport and storage, special configuration diversity and high-quality workmanship for professional use: plastic back shell with comfort-padding, adjustable, padded shoulder straps, adjustable lap belt, document compartment on the front, numerous pockets, holding straps and removable inner pockets for tools, small parts, documents etc., carrying handle, 4 strong bottom sliders, will carry up to 15 kg in weight.

	2300 g	440/340/180 mm	1	17 0430	
Tool assortment ba					
Tool backpack			1	17 0430	
1000 V telephone pliers with straig	tht jaws 200 mm, DIN IS	O 5745	1	10 0216	-
1000 V diagonal pliers 160 mm, DI	N ISO 5749 B		1	10 0574	1
Wire strippers Super 4			1	10 0760	*
Voltage tester 100-250 V AC 3.0/6	60 mm		1	11 1280	-
1000 V slot-head screwdriver DIN	EN 60900 3.0 x 0.5 mn	n 185 mm	1	11 7702	
1000 V slot-head screwdriver DIN	EN 60900 4.0 × 0.8 mn	n 185 mm	1	11 7704	•
1000 V slot-head screwdriver DIN	EN 60900 5.5 x 1.0 mn	n 220 mm	1	11 7705	
1000 V Screwdriver crosshead 80	mm test voltage PH 1 D	IN 7438	1	11 7731	(4)
1000 V Screwdriver crosshead 100) mm PH 2 DIN 7438		1	11 7732	
1000 V Screwdriver crosshead 80	mm PZ 1		1	11 7741	
1000 V Screwdriver crosshead 100) mm PZ 2		1	11 7742	
Cable shears DUOCUT 160 mm,	with two-stage cutting ar	rea	1	12 0108	1
Cable stripping knife with hook-sh	aped blade, 8 - 28 mm ø	3	1	12 1010	
	3400 g	440/340/180 mm	1	17 0420	

cimco

,

- -



External dim. L/W/H

Made of durable cowhide, extra robust, front, middle and back panel with 17 pockets with usual internal division, transparent clamping compartment in lid, removable carrying strap, with robust key lock.

Internal dim. L/W/H1/H2/H PU Article no.

270/250/165 mm 250/225/ - /140/140 mm 1 17 6000



With 2 key locks, extra reinforced bottom and side parts, inner surfaces with leather loops.

920 g 190/370/125 mm 175/330/ - /115/115 mm 1 17 0004

Shoulder strap

Design

Shoulder pad and 2 spring hooks, for tool bags.

length adjustable up to 1500 mm 17 0060

Tool backpack trolley

made of wear-resistant and tear-resistant synthetic fabric. With integrated trolley, protective cover for the wheels, 2 padded carrying belts and a handle. The backpack trolley has a padded laptop compartment and a total of 30 different tool holders (15 pockets and 15 rubber straps). In addition, the backpack has 2 fastening straps and 4 outside pockets (2 with zips). The tool boards can be used as needed and they can be easily exchanged or removed with swivel fasteners, will carry up to 15 kg in weight.

500 x 380 x 200 mm

Storage bag for laptop computers and accessories

Functional and very lightweight carrier bag with numerous compartments for documents, business cards, mobile phone and accessories, 2 special padded inner compartments for laptop and additional equipment, i.e. printer, removable pocket for power supply etc., fixed with Velcro fastener, made of durable black polyester / Koskin fabric.

1250 g 410 x 130 x 340 mm 17 5150

Roll-up tool case

made of plastic with a fabric backing, with leather strap closure

17 0142 12 compartments 530 x 320 mm 17 0144 20 compartments 760 x 320 mm

Tool box

made of steel sheets, painted inside and outside, five-piece set, lockable (shackle lock accessory)

5 compartments 540 x 200 x 200 mm 17 0212

Brass locks

brass block body, hardened steel shackle, with 2 keys

Größe Shackle Shackle Width Shackle Height mm ø mm mm mm 40 20 19 17 0252

Tool belt bag

made of thick, hard-wearing, smooth cowhide,

1 insulating tape roll holder, 5 outside pockets, 1 hammer loop, weight 550 g

 $230 \times 100 \times 230 \text{ mm}$ 17 0705

Cowhide belt

1200 x 40 mm



The flexible bag-system for the professions of today and tomorrow!

WORK-Line is more than a complete set of tool bags! Understand WORK-Line as a new organisation system for your work: a combination of carefully considered storage and transport bags, which adapt themselves to your individual needs in different working situations! All elements of WORK-Line are functional and convenient, due to the flexible combination options of the all-purpose bags you also obtain maximum flexibility that corresponds to your changing requirements! All WORK-Line products are made of the wear-resistant and tear-resistant, lightweight and special weatherproof synthetic fabric polyester 600 D in a modern two-colour design. The bags and accessories are visually accentuated with reflector ribbon from 3M.

All articles depicted are delivered without content.

Overview of bag types



Mobile phone pocket Article no. 17 5102, page 38



Electrician belt bag Article no. 17 5112, page 38



Tool strap bag Article no. 17 5114, page 38



Tooldocument bag Article no. 17 5130, page 39



Electricianshoulder bag Article no. 17 5134, page 41



Tool bag-S Article no. 17 3136, page 41



Tool bag-L Article no. 17 3138, page 41



Toolshoulder bag-L Article no. 17 3142, page 41



Toolshoulder bag-S Article no. 17 3140, page 41



Toolshoulder bag-Strong Article no. 17 3144, page 41



5

,

0

14

10

20

21

22

าว

24

25

External dim. L/W/H Weight Article no.

Padded belt

60 mm wide, continuously variable width from 84 to 116 cm, large snap lock for fast one-hand operation.

130 g 1 1 7 0782

Mobile phone bag

Bag especially for mobile phones or for glasses, measuring instruments and other sensitive small devices, specially padded, hook & loop fastening, 2 pencil holders, universal-metal-clip for fixing to belts and bags of all kinds.

/U 9	70 g	80/35/120 mm	1	17 5102	
------	------	--------------	---	---------	--

Cordless screwdriver bag

Belt holster for inserting all popular common battery screwdrivers, transport securing device with securing band with hook & loop attachment, 4 pockets for accessories such as drill, bits, pencil, etc., particularly sturdy design with padding, reinforced material and seams, belt loops.

120 g	180 x 340 mm	1	17 5104	
-------	--------------	---	---------	--

Bit pocket

Foldable bag for screw-bits and accessories, holders for 12 bits, 5 drills and one bit-holder, hook & loop fastening, universal metal clip for attaching to belts and bags of all kinds.

120 g	130/20/180 mm	1	17 5106

Small inventory bag

Pocket for diverse tools and utensils such as notepad, measuring tape etc., particularly suitable for storing screws and nails thanks to the robust padding. Compartment can be secured using a nylon fabric and rubber closure. Pencil holder, universal metal clip for attaching to belts and bags of all kinds.

130 g	170/90/160 mm	1	17 5108
130 2	17 07 707 100 111111		17 3100

Small universal bag

Bag for tools and utensils, 3 pockets, snap ring for keys, measuring tape etc., hook & loop fastening, universal metal clip for attaching to belts and bags of all kinds.

400	10-11011-0		47 5440	
120 g	105/60/170 mm	1	17 5110	

Electrician belt bag

Tool belt bag with numerous functional details, 1 large and 2 small pockets, 6 different sized elastic fastening straps for screwdrivers, drills etc.,

large reinforced elastic holder for hammer, pliers etc., metal chain and

holder for several rolls of insulating tape, made of strengthened special fabric, belt loop.

350 g	280/50/285 mm	1	17 5112	

Tool strap bag

With numerous functional details in reinforced special fabric, 2 spacious inner compartments, small inner compartment with hook & loop fastening, 6 elastic holders for writing utensils, drills, screwdrivers etc, zipped compartment at the front, bag lid closable with hook & loop fastener and/or 2 zips (one-hand operation), integrated sizeadjustable apron with 3 additional pockets, integrated belt with continuously variable width of up to 160 cm with large snap lock for convenient one-hand operation, belt can also be used as shoulder strap, so that the body bag changes into a shoulder bag.

750 g 30	0/95/210 mm	1	17 5114	
----------	-------------	---	---------	--



Weight External dimensions L/W/H PU Article no.

Tool vest

Greater freedom isn't possible! Tools always close at hand and both hands are free! Numerous functional equipment details for professional use: padded pocket for mobile phones, glasses etc., with hook & loop fixing band and elastic holder for writing utensils, 2 breast-pockets with hook & loop fastening, 1 of which is foldable with 4 inner pockets, 2 large padded waist bags for diverse tools, 1 with hook & loop fastening flap, 8 small elastic holders for writing utensils, drills screwdrivers etc., zip chest pocket for business cards, pocket with window, i.e. for name tag, rivet-reinforced wide holder for hammer, pliers etc., large back pocket with 2 zips for small parts and documents, accessible from the left and right, comfortable padded shoulder straps, vest in standard size, individually adjustable width.

1000 g	480 x 660 mm	1	17 5120

Tool and document bag

Tool bag for service technicians, perfect for smaller maintenance and installation work, 3 pockets for business cards, 2 elastic holders for mobile phone, measuring tape, small tools etc., 18 pockets of different size for tools of any kind, 4 ring binders for catalogues and other documents. Removable clipboard with the following features: clipboard up to max. DIN A-4 papers, elastic pen-holder, 9 elastic holders of different size for writing utensils, screwdrivers, small tools etc., zipped bag for small utensils.

 $DIN\ A\ 4\ document\ compartment\ on\ the\ front\ with\ hook\ \&\ loop\ fastener\ on\ the\ front,\ 2\ carrying\ handles.$

1300 g	385/70/290 mm	1	17 5130



Tool assortment and document bag

1001 assortinent	and document dag			
Tool and document bag for se	rvice technician	1	17 5130	2
1000 V Telephone pliers with	straight jaws 200 mm, DIN ISO 5745	1	10 8778	
1000 V Combination pliers wi	th flat jaws 185 mm	1	10 8782	4
1000 V high-leverage diagonal	cutting pliers 200 mm, soft and hard wires	1	10 8784	X
1000 V Wire stripper adjusting s	screw 160 mm, for conductors 0.75 - 6 mm²	1	10 8790	-
1000 V slot-head screwdriver	2.5 × 0.4 mm 160 mm	1	11 7701	
1000 V slot-head screwdriver	4.0 × 0.8 mm 185 mm	1	11 7704	•
1000 V slot-head screwdriver	6.5 × 1.2 mm 245 mm	1	11 7706	
1000 V slot-head screwdriver	8.0 × 1.2 mm 285 mm	1	11 7708	
1000 V Screwdriver crosshead	d 80 mm PH 1	1	11 7731	(6)
1000 V Screwdriver crosshead	d 100 mm PH 2	1	11 7732	
1000 V Safety cable stripping k	nife, straight strong blade, blade length 50 mm	1	12 1042	-
2360 g	385/70/290 mm	1	17 0360	
			47.5400	480
Tool and document bag for se		1	17 5130	-
	straight jaws 200 mm, DIN ISO 5745	1	10 0216	
1000 V diagonal pliers 160 mm, DIN ISO 5749 B		1	10 0574	1
Super 4 wire stripper		1	10 0760	3
Voltage tester 100-250 V AC	3.0/60 mm	1	11 1280	
1000 V slot-head screwdriver	- 3.0 × 0.5 mm 185 mm	1	11 7702	
1000 V slot-head screwdriver	4.0 × 0.8 mm 185 mm	1	11 7704	
1000 V slot-head screwdriver	- 5.5 x 1.0 mm 220 mm	1	11 7705	
1000 V Screwdriver crosshea	d 80 mm PH 1	1	11 7731	•
1000 V Screwdriver crosshead 100 mm PH 2		1	11 7732	
1000 V Screwdriver crosshead 80 mm PZ 1		1	11 7741	. 4
1000 V Screwdriver crosshead 100 mm PZ 2		1	11 7742	
Cable shears DUOCUT 160 mm, with two-stage cutting area		1	12 0108	1
Cable stripping knife with hoo	ok-shaped blade, 8 - 28 mm ø	1	12 1010	
3550 g	385/70/290 mm	1	17 0996	







3

7

8

,

12

7

18

21

22

23

24

25

Weight External dim. L/W/H Article no.

Tool, document and laptop bag

The top model of WORK-Line: tool case, briefcase and laptop computer case, all in one! Completely folding tool bag with zip, 9 tool pockets of different size, 15 different elastic holders for small tools, screwdrivers, writing utensils etc., integrated laptop computer bag suitable for all common laptop computers includes separately removable equipment bag for power supply, mouse etc., large document compartment with zip and varyingly large pockets and holders for writing utensils, business cards etc., bag for mobile phone and additional inner zip bag, small external document bag, rubberised carrying handle, detachable, extremely adjustable carrying strap with shoulder pad.

130 g	400/130/320 mm	1	17 5132		
Tool assortme	ent document and laptop bag				
				(E)	
Tool, document and lapto	· •	1	17 5132	-	
1000 V telephone pliers 2	200 mm with straight jaws, DIN ISO 5745	1	10 0216	1	
1000 V telephone pliers v	with bent jaws, DIN ISO 5745	1	10 0238	A CONTRACTOR OF THE PARTY OF TH	
1000 V diagonal pliers 16	0 mm, DIN ISO 5749 B	1	10 0574	A.	
Super 4 wire stripper		1	10 0760	*	
Electronic diagonal pliers 1	20 mm, oval-round head, diagonal with blade protector	1	10 0802		
Electronics needle nose pl	iers, bent blade, smooth jaws, tip 2.5×1.5 , 150 mm	1	10 0816	4	
Tweezers, 120 mm		1	10 3016		
Voltage tester 100-250 V	AC 3.0/60 mm	1	11 1280	-	
Precision screwdriver, slo	ecision screwdriver, slot-head screwdriver white $2.0 \times 0.4 \times 60$ mm 1 11 1864				
Precision screwdriver, slo	t-head screwdriver white $2.5 \times 0.4 \times 75$ mm	1	11 1865		
Precision screwdriver, slo	t-head screwdriver white 4.0 × 0.8 × 150 mm	1	11 1870		
Precision crosshead screv	vdriver, light blue PH 0 × 60 mm	1	11 1877		
Precision crosshead screv	vdriver, light blue PH 1 x 80 mm	1	11 1880		
Universal switch cabinet k	key made of die-cast zinc	1	11 2894	-7	
1000 V slot-head screwdr	river 2.5 × 0.4 mm 160 mm	1	11 7701		
1000 V slot-head screwdr	river 3.0 × 0.5 mm 185 mm	1	11 7702	• 🔑	
1000 V slot-head screwdr	river 4.0 x 0.8 mm 185 mm	1	11 7704		
1000 V slot-head screwdr	river 5.5 x 1.0 mm 220 mm	1	11 7705		
1000 V Screwdriver crosshead 80 mm PH 1		1	11 7731		
1000 V Screwdriver cross	shead 100 mm PH 2	1	11 7732		
Coaxi cable sheath stripper for cables from 4.8 - 7.5 mm diameter		1	12 0027	Service Control of the Control of th	
Precision insulation stripper PWS-PLUS, red press button, 0.25 - 0.80 mm ø, AWG 30 - 20		1	12 0033	No.	
Universal shears 190 mm, hardness HRC 56 to 58		1	12 0122		
Telephone shears with se	rrated blade, bright nickel plated, size 130 mm	1	12 0222	2	
6700 g	405/490/190 mm	1	17 3310		



Weight External dimensions L/W/H PU Article no.

Electrician shoulder bag

Professional storage bag with flexible clipping system for holding all types of tools.

2 removable tool boards, shoulder strap, 2 side pockets, padded carrying handle. Includes two small organiser boxes.

Tool bag S

Polyester textile tool bag with EVA foam padding and zip closure. With adjustable shoulder strap with very robust carabiner hook. 3 padded external pockets and 2 carrying handles. A front pocket for small parts and one main compartment with multiple internal pockets and space for large tools. Bottom section in injection moulded plastic for excellent sturdiness and as a protection against moisture.

Tool bag L

Polyester textile tool bag with EVA foam padding and zip closure. With adjustable shoulder strap with very robust carabiner hook. 3 padded external pockets and 2 carrying handles. A front pocket for small parts and one main compartment with multiple internal pockets and space for large tools. Bottom section in injection moulded plastic for excellent sturdiness and as a protection against moisture.

1800 g	515/300/210 mm	1	17 3138	
--------	----------------	---	---------	--

Tool bag-shoulder S

Polyester textile tool bag with zip closure. With adjustable shoulder strap with very robust carabiner hook. Multiple external insert pockets and 2 side pockets. Main compartment with top pocket for documents and with multiple internal pockets for large tools. Bottom section in injection moulded plastic for excellent sturdiness and as a protection against moisture

1200 g	410/260/230 mm	1	17 3140		
--------	----------------	---	---------	--	--

Tool bag-shoulder L

Polyester textile tool bag with zip closure. With adjustable shoulder strap with very robust carabiner hook. Multiple external insert pockets and 2 side pockets.

Main compartment with top pocket for documents and with multiple internal pockets for large tools. Bottom section in injection moulded plastic for excellent sturdiness and as a protection against moisture.

1400 g	410/320/230 mm	1	17 3142	

Tool bag-shoulder Strong

Reinforced polyester textile tool bag with adjustable carrying strap. Side walls in double-walled impact-resistant plastic. Removable tool board with PSS system (two-sided insert rails). Practical polyester cover with hook & loop closure.

With 5 integrated sliding bases. Multiple pockets for tools in the outside section.

2700 g	350/250/370 mm	1	17 3144	
--------	----------------	---	---------	--













2

3

7

10

11

A

15

16

17

18

...

21

22

23

24

