

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 1

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

1. DESIGNATION OF THE MATERIAL OR MIXTURE AND COMPANY NAME

1.1 Product identifier

Product name Fast-setting epoxy adhesive resin Art. No. **151210**
Trade name Fast-setting epoxy adhesive resin Art. No. **151210**
CAS No.
EC No.

1.2 Relevant identified use of material or mixture and uses that are not advisable

Recommended
limitations of the
application

Use of the material/mixture 2-component epoxy resin – resin component

1.3 Details on the supplier who is making the safety data sheet available

Company Cimco Werkzeugfabrik Carl Jul. Müller GmbH & Co. KG
Hohenhagener Straße 1 - 5
D-42855 Remscheid, Germany
+49 (0) 21913718-01 Fax: +49 (0) 21913718-86

1.4 Emergency number **Emergency CONTACT (24-Hour-Number)**
GBK GmbH +49 (0)6132-84463

2. POSSIBLE HAZARDS

2.1 Classification of the material

- **Classification in accordance with the directive (EC) No. 1272/2008 [CLP/GHS]**
Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
Aquatic Chronic 2 H411

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 2

Revised:23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

2.2 Label elements

- Labelling according to directive (EC) No. 1272/2008 [CLP/GHS]



GHS07



GHS09

Signal word:

Notice

Hazard warnings:

H315	Causes skin irritation.
H317	Can cause allergic skin reactions.
H319	Causes serious eye irritation.
H411	Toxic for water organisms, with long-term effects

Safety information:

P102	Keep out of reach of children.
P261	Avoid breathing in dust/smoke/gas/mist/vapour/aerosol.
P264	Wash hands after use.
P272	Do not wear contaminated work clothes outside of workplace.
P273	Avoid releasing into the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352	IN THE EVENT OF SKIN CONTACT: Wash with plenty of water/soap.
P305 + P351 + P338	IN THE EVENT OF CONTACT WITH THE EYES: Rinse carefully with water for several minutes. Remove any contact lenses being worn if possible. Continue rinsing.
P332 + P313	In the event of skin irritation: Consult a doctor/seek medical attention.
P337 + P313	In the event of sustained eye irritation: Consult a doctor/seek medical attention.
P362	Remove contaminated clothing.
P363	Wash contaminated clothing before wearing it again.
P391	Collect any quantity spilled.
P501	Dispose of content/container as problem waste.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 3

Revised: 23.07.2015

 Cimco-Werkzeugfabrik
 Carl Jul. Müller GmbH & Co. KG

2.3 Other dangers

- **Results of the PBT and vPvB assessment**
- **PBT:** The materials in the mixture do not meet the PBT/vPvB criteria according to REACH, Appendix XIII.
- **vPvB:** not applicable

3. COMPOSITION / INFORMATION ON COMPONENTS

Constituents	EC No.	CAS No.	Concentrate [% by weight]
Product of reaction: Bisphenol-A-epichlorhydrin resin with average molecular weight <= 700	500-003-5	25068-38-6	70 - 90 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Bisphenol-F-epichlorhydrin resin with average molecular weight < 700	608-164-0	28064-14-4	5 - 10 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

4. FIRST AID MEASURES

4.1 Description of first aid measures

General information	Take off dirty, saturated clothing immediately and remove safely
After inhaling	Ensure there is fresh air. In the event of complaints, seek medical assistance.
After skin contact	In the event of skin contact, wash off with soap and water. In the event of long-term skin irritation, consult doctor.
After swallowing	Do not induce vomiting Immediately consult a doctor. Rinse out mouth and drink plenty of water afterwards.
After eye contact	In the event of contact with the eyes, rinse for 15 minutes under running water. Transfer to a hospital for examination by a specialist doctor.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 4

Revised:23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

4.2 Important symptoms and effects which are acute or occur with a delay

vomiting, breathing difficulties, nausea, dizziness, skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Subject to medical observation for at least 48 hours afterwards.

Symptoms usually do not occur for several hours.

5. FIREFIGHTING MEASURES

5.1 Extinguishing agents

Suitable extinguishing agents

Alcohol-resistant foam, dry extinguishing agents, carbon dioxide, fine water spray

Unsuitable extinguishing agents

Direct water jet

5.2 Particular risks associated with the material or mixture

In the event of a fire, it is possible that hazardous gases may be formed.

Nitrous oxide (NO_x)

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3 Information on fire fighting

Special protective equipment for firefighting:

In the presence of combustion or carbonization gases, any firefighting, rescue and clearing up activities should be undertaken only with heavy-duty respiratory protection.

Do not inhale gases from explosions and fire.

Further information:

Cool endangered containers with water spray jet.

6. MEASURES IN THE EVENT OF ACCIDENTAL RELEASE

6.1 Person-related safety precautions, protective equipment and procedures to be followed in emergencies

Ensure sufficient ventilation.

Use personal protective clothing.

Use breathing protection if subject to the effects of vapours/dust/aerosol.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 5

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

6.2 Environmental protection measures

If surface water or sewage system are contaminated, inform the responsible authorities.
Do not allow to enter sewage system / surface water / ground water.
Do not allow it to penetrate the subsoil/ground.

6.3 Methods and material for containment and cleaning

Soak up with liquid absorbing material (e.g. sand, sawdust).
Dispose of the absorbed material in accordance with the regulations.

6.4 References to other sections

Safe handling: see section 7
Disposal: see section 13
Personal protective equipment: see section 8

7. HANDLING AND STORAGE

7.1 Safety measures for safe handling

Information on safe handling	Avoid the formation of aerosol. Ensure good room ventilation, extraction at the workplace where necessary.
General protection measures	Avoid contact with the eyes and skin. Do not inhale gases / vapours / aerosols.
Hygiene measures	Do not eat, drink or smoke while working. Remove dirty, saturated clothing immediately. Wash hands before breaks and after finishing work.
Information on fire and explosion protection	Pay attention to the general rules for preventative operational fire protection.

7.2 Conditions for safe storage taking incompatibilities into consideration

Storage requirements	Keep sealed in original packaging.
Information on storage with other products	Do not store together with acids or bases. Do not store with animal feed. Do not store with food. Do not store with oxidizing agents.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 6

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

Further information on storage conditions	Protect against direct sunlight. Keep container in a cool, well-ventilated place. Store in a dry place. Do not store with oxidizing agents.
---	--

Storage class	10
---------------	----

Fire classification	B
---------------------	---

7.3 Specific end use

See section 1.2

8. LIMITATION AND MONITORING OF EXPOSURE / PERSONAL PROTECTIVE EQUIPMENT

8.1 Limit values

No information is available.

8.2 Limiting and monitoring exposure

Personal protective equipment

General protective and hygiene measures	The usual regulations for handling chemicals needs to be adhered to. Do not breathe in dust/smoke/mist. Keep away from food, drink and animal feed. Do not smoke, eat or drink while working. Avoid contact with the eyes and skin. Wash hands before a break and after finishing work.
---	---

Respiratory protection	If ventilation is inadequate, wear breathing apparatus. Breathing apparatus in the event that aerosol or mist are formed.
------------------------	--

Hand protection	It is recommended to clarify the chemical resistance of the above-mentioned protective gloves for special applications with the glove manufacturer. The type of chemical protection gloves is to be selected according to the concentration and quantity of hazardous materials at the specific workplace.
-----------------	---

Eye protection	Tight fitting safety glasses.
----------------	-------------------------------

Personal protection	Protective workwear.
---------------------	----------------------

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 7

Revised:23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

Limiting and monitoring environmental exposure Sufficient ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on the basic physical and chemical properties

Form	liquid
Colour	yellow, clear
Odour	slightly perceptible
Steam pressure	- na -
Relative density	1.17 g/cm ³ 20 °C
Melting point / Freezing point	- na -
Explosive properties	- na -
Self-ignition temperature	- na -
Ignition point	> 150°C
Flammability	- na -
Oxidizing properties	- na -
Solubility in / miscibility with	- na -
Ignition temperature	- na -
Solvent content	- na -
Solids content	- na -

9.2 Other information

No information is available.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 8

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

10. STABILITY AND REACTIVITY

10.1 Reactivity

No information is available.

10.2 Chemical stability

No information is available.

10.3 Possible hazardous reactions

Reactions with strong acids.
Reactions with strong bases or oxidizing agents.

10.4 Conditions to be avoided

Avoid exposure to heat.

10.5 Incompatible materials

Alkalis (lyes), concentrated
Acids, concentrated
Oxidation agents, strong

10.6 Dangerous decomposition processes

Nitrous oxide (NO_x)
Carbon monoxide, carbon dioxide

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

	Value/Evaluation	Species	Method	Note
Skin irritation	irritant			
Eye irritation	irritant			
Sensitisation skin	sensitising			

Practical experience

Sensitisation may be caused by skin contact.
Irritates the eyes and skin.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 9

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

General comments

The product is to be handled with the care usual when handling chemicals.
Other hazardous characteristics can not be ruled out.

12. ENVIRONMENTAL INFORMATION

12.1 Toxicity

No information is available.

12.2 Persistence and degradability

	Degree of elimination	Method of analysis	Method	Note
Biological degradability				Not biodegradable

12.3 Bio accumulation potential

Not soluble in water

12.4 Mobility in the soil

No information is available.

12.5 Results of PBT and vPvB assessment

PBT Not applicable

vPvB Not applicable

12.6. Other harmful effects

Toxic for water organisms, with long-term effects.
Do not allow uncontrolled release of the product into the environment.
The product must not enter water systems.
The ecotoxic effect of the product has not been tested. The statement on this was derived from products with a similar structure or composition.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 10

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

13. INFORMATION ON DISPOSAL

Recommendation Disposal according to the local official regulations

Product Hardened material is inert and can be disposed of as building waste.
Dispose of in accordance with local authority regulations.

Waste code

Waste marked with an asterisk (*) are classed as hazardous waste according to Directive 2008/98/EC on hazardous waste.

Unclean packaging Disposal according to official regulations.
Packaging materials which cannot be cleaned are to be disposed of in the same way as the substance itself.

14. INFORMATION ON TRANSPORT

	ADR/RID	IMDG	IATA-DGR
14.1 UN number	3082	3082	3082
14.2 Proper UN shipping name	UMWELTGEFÄHRDENDES R STOFF, FLÜSSIG, N.A.G. (BISPHENOL A EPOXY HARZ)	ENVIRONMENT ALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN)	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A EPOXY RESIN)
14.3 Transport hazard class	9	9	9
14.4 Packaging group	III	III	III
14.5 Environmental hazards	Yes	Yes	Yes

14.6 Special preventive measures for the user

No information is available.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 11

Revised: 23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

14.7 Bulk transport according to Appendix II of the MARPOL agreement 73/78 and according to the IBC code

Not applicable

Transport by land ADR/RID

Danger label 9
Tunnel restriction code E
Classification code M6

15. STATUTORY REGULATIONS

15.1 Regulations on safety, health and environmental protection / specific legal regulations for the material or the mixture

VOC guideline

Note

Daten separat anfragen / Request data separately.

National regulations:

Information on employment restrictions

The national laws regarding employment restrictions are to be observed.

Other regulations, limitations and prohibition ordinances

TRGS 540 "Sensitising materials" must be observed

Water hazard class 2 VwVwS Appendix 4
Water-polluting

Incident ordinance: Incident ordinance, Appendix I: No. 9b.

15.2 Chemical safety assessment

A chemical safety assessment for materials in this mixture have not been carried out.

16. OTHER INFORMATION

Recommended use and restrictions

Existing national and local laws regarding chemicals are to be observed.
Nur für den gewerblichen Gebrauch. / For industrial use only.

**Safety data sheet pursuant to ordinance
(EC) No. 453/2010
(EC) No. 1907/2006 (REACH)**

Print date: 02/03/2016

Page 12

Revised:23.07.2015

Cimco-Werkzeugfabrik
Carl Jul. Müller GmbH & Co. KG

Further information

The information given is based on our current level of knowledge and serves to describe the product in terms of the safety precautions to be taken. It does not represent an assurance of properties of the product described.

H315	Causes skin irritation.
H317	Can cause allergic skin reactions.
H319	Causes serious eye irritation.
H411	Toxic for water organisms, with long-term effects.