



PERSONAL SAFETY ...

... AND HYGIENE ON THE JOB!

We as CIMCO-Werkzeugfabrik have made it our mission, to equip you with tools and personal protective equipment of the highest quality. Always ensure the correct and safe equipment for your daily tasks – so that you and your customers are protected as well as possible!

PERFECTLY EQUIPPED IN EVERY SITUATION

CE Electrician's and industrial hardhat

- Light and modern head protection according to DIN EN 50365 made from HDPE (polyethylene)
- Protection class 0
- Hygienic forehead sweatband, side slits for attaching hearing or face protection, ratchet headband, inner harness fittings
- For head sizes 54 – 61 cm
- Weight: 330 g

CIMCO-item no. 14 0200	yellow
CIMCO-item no. 14 0201	blue
CIMCO-item no. 14 0202	white
CIMCO-item no. 14 0203	red



Face guard

- Complete protection over the whole facial area, including ears, from liquid splashes and other damage
- Without UV protection
- Colourless, transparent hinged protective guard

CIMCO-item no. 14 0211



CE 1000 V face guard, protection class 1

- Acc. DIN EN 166, DIN EN 170 and DGUV GS-ET-29 for combining with an electrician's hardhat according to DIN EN 50365
- Complete protection over the whole facial area, including ears, from: flame arcs, short circuit fault arcs, liquid splashes and particles at high speed and medium energy entry (B)
- UV protection filter with colour recognition, colourless, transparent hinged protective guard, universal attachment

CIMCO-item no. 14 0204



Ear plugs


- 5 pairs of washable, foam rubber ear plugs for multiple use
- Level range: high 30 dB(A), medium 24 dB(A), low 22 dB(A)
- SNR value: 28 dB(A), 43.6 dB(A) at 4000 Hz
- Acc. to EN 352

CIMCO-item no. 14 0279



Reusable ear plugs

- 1 pair of reusable ear plugs
- With linear damping, the contact to the surrounding environment is retained (good speech intelligibility) despite this, prevents harmful noise annoyance
- Excellent fit
- For low noise range (insulation value SNR 20),
- Removable band



CIMCO-item no. 14 0280

Work gloves Skinny Soft, white

- Nylon gloves acc. to EN 388
- With PU coating and knitted cuff
- Partially coated on palm and fingers

CIMCO-item no. 14 1263 1 pair, size 9
 CIMCO-item no. 14 1264 1 pair, size 10
 CIMCO-item no. 14 1265 1 pair, size 11



Work gloves Skinny Soft, grey

- Nylon gloves acc. to EN 388
- With PU coating and knitted cuff
- Partially coated on palm and fingers

CIMCO-item no. 14 1260 1 pair, size 9
 CIMCO-item no. 14 1261 1 pair, size 10
 CIMCO-item no. 14 1262 1 pair, size 11



Warning vest "2 m distance"

- Produced acc. to EN ISO 20471/class 2
- TÜV Rheinland approved
- Size variably adjustable with 2 Velcro straps
- Two reflective strips
- 100% polyester
- Size: approx. 68 x 66 cm

CIMCO-item no. 14 2000 neon yellow



CIMCO protective visor

- Assembled fast by means of a simple plug-in mechanism
- With screen made from PETG and forehead pads made from PE foam
- Size adjustment for every head shape, great freedom of movement
- Resistant against disinfectant
- Easy to clean and care
- Suitable for use in hospitals


CIMCO-item no. 47 600



Mask 3-ply with elastic band, not sterile

- Protects the user from solid and non-evaporable liquid particles
- Reduces the probability that the wearer comes into contact with microorganisms, blood and bodily fluids present in the air
- Scope of delivery: 1 x pack of 50 masks

CIMCO-item no. 14 0288 blue-white



SPECIAL ARTICLE
ON REQUEST

Fine dust mask FFP2

- Protection level FFP2, EN 149:2001 and A1:2009
- CE certified

CIMCO-item no. 14 0286



SPECIAL ARTICLE
ON REQUEST

Hand cleaner

- Hand washing paste with micro-fine abrasive particles
- The pH skin neutral setting maintains the acid protection layer of the skin
- Natural lipids ensure for caring properties
- Economical in use

CIMCO-item no. 15 1626 Tube, 250 ml



First aid kit

- First aid case, dark-green, without partitions, with wall mounting
- Filled acc. to DIN 13157
- Size: 280 x 270 x 82 mm

CIMCO-item no. 14 2010



Building site protection package in a SET



Perfectly equipped in every situation – with the practical Corona Safety Package, consisting of:

- Electrician's and industrial hardhat
- Work gloves Skinny Soft, grey
- Hand disinfection gel, 50 ml
- Face guard


CIMCO-item no. 14 0258



All-purpose waste bag

- Volume approx. 120 l
- Made of recyclable polyethylene regenerate film (PE-LD)
- Problem-free incineration at landfill sites, thanks to its groundwater-neutral behaviour and no release of harmful gases or substances
- Film thickness 80 µm
- Particularly strong and tear-proof
- Watertight
- 25 bags per roll
- W x H 700 x 1100 mm

CIMCO-item no. 14 5001 blue



CIMCO heavy-duty rubbish sack

- Extremely strong and durable CIMCO heavy-duty rubbish sacks
- Ideal for the transport of materials such as building rubble or the disposal of all kinds of waste
- Bulky and angular materials are packed safely and reliably
- Material: polyethylene
- Dimensions: 500 x 800 mm
- Volume: 40 l
- Thickness: 0.15 mm/150 µm
- PU: 10 pcs

CIMCO-item no. 14 5000 transparent-opaque




SIGNS AND MARKINGS



Barrier tape, red-white

- Tear-resistant barrier tape
- For fast and inexpensive securing of operation areas, danger zones, car parks
- Material: polyethylene
- Multiple use
- Printed non-fade on both sides with red/white hachures
- Roll width: 75 mm
- 1 roll = 100 m or 500 m in dispenser

CIMCO-item no. 18 2780 100 m
CIMCO-item no. 18 2782 500 m



Floor marking, "Please keep distance"

- Quickly applied, directly passable, easy to clean
- For smooth substrates indoors, only lay on dry, clean substrates free of dust and grease
- Very good chemical resistance to cleaning agents, dirt-repellent, very thin, no dirt rim formation, totally removable
- Material: polyester, self-adhesive, thickness: 0.2 mm
- Temperature resistance: -40 °C to +150 °C



CIMCO-item no. 18 2784 50 x 600 mm
 CIMCO-item no. 18 2786 75 x 600 mm

Plastic chain stands, red-white reflective

- Chain stands set for mobile barriers
- Safe from tipping over, up to 4 m post spacing possible
- Plastic posts, height 1000 mm, tube ø 63 mm
- Set consisting of 4 or 6 posts incl. chains and hooks
- Heavy-duty plastic hexagonal base for secure stand
- Anti-slip element protects the floor (dimensions: ø 370 mm, height 75 mm)



CIMCO-item no. 18 2788 4 posts, 3 chains of 3 m
 CIMCO-item no. 18 2790 6 posts, 5 chains of 3 m

Sandwich board, various motifs

- Stable sandwich board
- Can be positioned conveniently and stable everywhere
- Material: 100 % recycled corrugated cardboard
- Warning is printed on both sides
- Dimensions (W x H x D): 300 x 500 x 4 mm

CIMCO-item no. 18 2800 Keep your distance, avoid physical contact!
 CIMCO-item no. 18 2802 Observe hygiene rules!
 CIMCO-item no. 18 2804 Gatherings forbidden!
 CIMCO-item no. 18 2806 Leave doors open!
 CIMCO-item no. 18 2808 Observe rules of behaviour!
 CIMCO-item no. 18 2810 Access only with face mask!



Wall panel, various motifs

- Wall panel, laminated with film
- Fast and simple to mount
- Material: FSC-certified book binding board
- Dimensions (W x H x D): 297 x 420 x 1.6 mm

- CIMCO-item no. 18 2812 Observe hygiene rules!
 CIMCO-item no. 18 2814 Gatherings forbidden!
 CIMCO-item no. 18 2816 Leave doors open!
 CIMCO-item no. 18 2818 Observe rules of behaviour!
 CIMCO-item no. 18 2820 Access only with face mask!



Laminated warning panel, various motifs

- Warning panel, laminated with 125 µm film
- Fast and simple to mount
- Waterproof
- Dimensions (W x H x D): 297 x 420 x 1.6 mm

- CIMCO-item no. 18 2830 Keep your distance, avoid physical contact!
 CIMCO-item no. 18 2832 Access only with face mask!



Mandatory sticker, various motifs

- Suitable for all smooth surfaces
- Material: polyester (PET)
- Dimensions: ø 200 mm

- CIMCO-item no. 18 2822 Access only with face mask!
 CIMCO-item no. 18 2824 Keep your distance, avoid physical contact!



Prohibition sticker, various motifs

- Suitable for all smooth surfaces
- Material: polyester (PET)
- Dimensions: ø 200 mm

- CIMCO-item no. 18 2826 Do not shake hands!!
 CIMCO-item no. 18 2828 Gatherings forbidden!



CONTACT PROTECTION PARTITION WALL

Our contact-protection partition walls for installing on counters are suitable for all sales areas, such as pharmacies, supermarkets, medical practices etc. The partitions offer optimal protection with direct customer contact. Also suitable for partitioning opposite or adjacent writing desks and computer workplaces.



- Frame made from particularly light aluminium system profile (for fast and simple assembly/disassembly)
- Modules can be optionally extended without problems (also over corner)
- Filling made from 3 mm clear, acrylic screen
- Is supplied complete, only the feet have to be fitted
- Available in the widths 1000 mm or 1500 mm, custom formats on request

Article no.	Module	Format W/D/H	Service hatch	Weight
CI44100	Contact protection partition wall	1000/346/800 mm	Height 200 mm	5.499 kg
CI44150	Contact protection partition wall	1500/346/800 mm	Height 200 mm	7.141 kg

CIMDES HYGIENE PILLARS

The high-quality and stable Cimdes hygiene pillars are ideally suited for all public places. Customers and visitors are made aware of regular hand hygiene and therefore protect themselves and others. Available as stable floor-standing pillar and as compact counter stand.



Cimdes floor-standing hygiene pillar

- Including 4 rubber feet
- Dimensions (W x H): 250 x 1400 mm
- Dimensions of base (W x D): 380 x 380 mm
- Weight: 10.5 kg

Item no.: 15 1612



Cimdes counter hygiene pillar

- Including felt runners
- Dimensions (W x H): 240 x 600 mm
- Dimensions of base (W x D): 295 x 295 mm
- Weight: 5.90 kg

Item no.: 15 1614

Our Cimdes hygiene pillar is supplied including the practical disinfection dispenser. The matching disinfectant in the 1 litre container is not included in the offer, but can be ordered separately. The clip-in drip tray reliably ensures for cleanliness. The deep black, matt surface of the powder-coated steel gives the hygiene pillar an elegant look and the robust base ensures a stable stand.



Hand dispenser

For wall installation

- Volume: 1 l
- Dimensions (H x W x D): 290 x 125 x 130 mm
- Weight: 0.60 kg

Item no.: 47 604



Tool and hand disinfectant

The tool and hand disinfectant acts virucidal, fungicidal and fights bacteria. Also suitable for cleaning tool handles.

- Alcohol content: 79 %.
- Content: 1 l

Item no.: 15 1634



Also available in the practical 75 ml pump-spray bottle for out and about!

The tool and hand disinfectant acts virucidal, fungicidal and fights bacteria. Also suitable for cleaning tool handles.

- Alcohol content: 79 %.
- Content: 75 ml

Item no.: 15 1610



FLEXI-CRIMP 6

The new crimping pliers for wire end ferrules



THE NEXT DIMENSION OF CRIMPING TOOLS

- Cross section range from 0.08 to 16 mm² and 2 x 10 mm² (for crimping wire end ferrules acc. to DIN 46228 Part 1 + 4)
- Feed in ferrules from the side
- Hexagonal crimping for constricted connection dimensions
- Self-adjusting adaptation to the required wire end ferrule size
- Consistently high crimp quality thanks to ratchet lock (can be unlocked)
- Weight: 380 g

flexi
crimp® 6

CIMCO-item no. 10 1950



Cross section range:
0.08 to 16 mm² and 2 x 10 mm²

www.cimco.de

Technical modifications, colour deviations, price changes, errors and misprints reserved.
Sale only via specialist wholesalers.

cimco®
W E R K Z E U G F A B R I K