

# MARKINGS, WARNING LABELS

and Business equipment



# TEST STICKERS AND QUALITY LABELLING



Meaningful labelling helps arrange business processes and organisation in a manageable way. Test marking makes it possible to outwardly document compliance with the specified standards or regulations, while at the same time keeping an overview of the test dates ahead or those already carried out.

Test stickers have a wide range of uses. There are different types of stickers: universal stickers, those for legal tests, electrical tests, those for test equipment monitoring, for laboratory and medical engineering as well as for ladders, steps, and doors. There are only a few test stickers with a directly specified use. It is often up to the respective business whether the test stickers are to be used for on-site labelling directly on a machine or piece of equipment or not. In practice the test stickers have proved to be valuable as a good way of keeping a constant eye on test dates. To be able to distinguish between the respective test stickers from a distance, most test stickers are available in annual colours.

The material of the test stickers can also vary. The CIMCO test stickers are made of film. In comparison to test stickers made of paper, film is more suitable, as it is more resistant to external influences. The film used to make the test stickers is self-adhesive as well as wipe, scratch, and weather resistant.

Test stickers primarily have two purposes: they confirm a correctly and successfully conducted inspection of the machines to be tested. Test stickers also have a date on them which indicates when a new test needs to be carried out or respectively, when a test was last carried out. Tests must (usually repeatedly) be carried out by an authorised person.



# MARKINGS & WARNING SIGNS



## Test sticker "Electrically tested"

Standard film, size: ø 30 mm, supplied in a booklet with 108 stickers

ltem no.	YearColour	
18 2764	2019	yellow
18 2770	2020	orange
18 2775	2021	violet



Test sticker "Next test date German Social Accident
Insurance (DGUV) regulation 3"

Standard film, size: ø 30 mm, supplied in a booklet with 108 stickers

ltem no.	YearColour	
18 2765	2019	yellow
18 2771	2020	orange
18 2776	2021	violet



#### Test sticker "Next test date"

Standard film, size: ø 30 mm, supplied in a booklet with 108 stickers

**Item no. Ye** 18 2704 20

YearColour 2018-23 yellow/black



Cable test sticker "Tested accordi	ing to German Social
Accident Insurance (DGUV) regul	ation 3"

for cable diameter 8 mm - 25 mm, vinyl film clear, size 100 x 25 mm, supplied in a booklet with 80 stickers

ltem no.	YearColour	
18 2767	2019	yellow
18 2773	2020	orange
18 2778	2021	violet

#### Cable inspection sticker "Next inspection"

for cable diameter 8 mm - 25 mm, vinyl film clear, size 100  $\times$  25 mm, supplied in a booklet with 80 stickers

ltem no.	Year	Colour
18 2768	2019	yellow
18 2774	2020	orange
18 2779	2021	violet



#### Electric circuit labelling, two fields

for individual labelling, vinyl film, size: ø 39 mm, supplied as 30 stickers and 30 protective laminates stapled together

Item no. Colour 18 2710 red



#### Electric circuit labelling, three fields

for individual labelling, vinyl film, size: ø 39 mm, supplied as 30 stickers and 30 protective laminates stapled together

Item no. Colour 18 2712 red



#### Basic sticker "Inspection according to ... Next inspection"

Vinyl film white, size:  $40 \times 80$  mm, supplied as 50 stickers stapled together and without advertising printed

**Item no.** 18 2714



#### Basic sticker "Tested / on / by / according to ..."

Vinyl film white, size:  $40 \times 80$  mm, supplied as 50 stickers stapled together and without advertising printed

**Item no.** 18 2716

Prüftaste am FI - Schutzschalter 1 x monatlich betätigen! Damit überprüfen Sie die Funktion des Schutzschalters jedoch nicht die Schutzmaßnahme selbst.

#### FI test buttons information stickers "Actuate 1 x month!"

self-adhesive film, size:  $48 \times 20$  mm, supplied stamped onto sheets of 10 stickers

**Item no.** 18 2718 **MARKINGS** 

#### Warning sign "Warning - Electric voltage"

self-adhesive film, size: 100  $\times$  100 mm, design: ASR A 1.3 (2013), DIN EN ISO 7010, W012, 1  $\times$ 



**Item no.** 18 2720



#### Warning sign for electrical engineering, "Electrical plant room"

self-adhesive film, size: 210  $\times$  297 mm, symbol: "Warning – hazardous electric voltage", 1  $\times$ 

**Item no.** 18 2722

Plastic, size: 210 × 297 mm, Symbol: "Warning – hazardous electric voltage", 1 ×

**Item no.** 18 2724



### Warning sign "High voltage - Danger of death"

self-adhesive film, size: 122  $\times$  100 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012, 1  $\times$ 

**Item no.** 18 2728

Plastic, yellow, size: 122  $\times$  100 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012, 1  $\times$ 

**ltem no.** 18 2726



#### Warning sign "High voltage! Danger of death"

self-adhesive film, size: 244  $\times$  200 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012, 1  $\times$ 

**Item no.** 18 2730

Plastic yellow, size: 244 x 200 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012

**Item no.** 18 2732



#### Warning sign "Electrical plant room"

self-adhesive film, size: 244  $\times$  200 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012, 1  $\times$ 

**Item no.** 18 2734

Plastic, size: 244 x 200 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, W012

**Item no.** 18 2736



Entlernen des Schildes nur durch

#### Maintenance tag "Do not switch! Work is being carried out!"

Plastic 0.5 mm white matt, size: 76 x 147 mm, design: central bore at top 6 mm, symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, P031 supplied in one packaging unit of 10 stickers

**Item no.** 18 2738

#### Warning sticker "Do not switch! Work is being carried out!"

self-adhesive film, removable, size: 80 × 16 mm, design: symbol according to ASR A 1.3 (2013), DIN EN ISO 7010, P031 supplied on sheets of 10 stickers **Item no.** 18 2740



Nicht schalten! Es wird gearbeitet!

#### Prohibition sign "Do not switch! Work is being carried out!"

Plastic, size: ø 200 mm, 1 x



#### Prohibition sign "Electrical plant room Unauthorised access prohibited"

self-adhesive film, size: ø 200 mm, 1  $\times$ 

**ltem no.** 18 2744

**Item no.** 18 2742

# 5 Sicherheitsregeln

Ver Beginn der Arbeiten - Freischalten - Gegen Wiedereinschalten sichern - Spannungsfreiheit feststellen - Erden und kurzschließen - Benachbarte, unter Spannung stehende Teile abdecken oder abschranken

# Mandatory signs according to DIN 40 008 "5 safety rules" Electric voltage

Plastic, size:  $200 \times 120$  mm,  $1 \times$ 

**ltem no.** 18 2746

Vorsicht! Gefahr durch Batterien



Feuer, offenes Licht und Rauchen verboten

## Combination sign according to ISO 7010

Plastic, size: 200 x 150 mm, Warning sign: "Caution! Danger from batteries", Prohibition sign: "Fire, open flames, and smoking prohibited" 1 x

**ltem no.** 18 2748





#### **Emergency notice**

Plastic, size:  $410 \times 590$  mm, First aid instructions according to German Social Accident Insurance (DGUV) information 204-001, edition August 2017 1 x

**Item no.** 18 2750



Safety notice

Plastic, size: 200 x 300 mm, "First aid for electrical accidents" 1 x

**Item no.** 18 2752



# Safety notice

Plastic, size:  $660 \times 1000$  mm, "VDE requirements for operating electric systems"  $1 \times$ 

# ltem no.

18 2754



#### Safety notice

Plastic, size: 500  $\times$  660 mm, "Information sheet for fighting fire in the vicinity of electric systems" 1  $\times$ 

**Item no.** 18 2756



### Safety notice

Plastic, size: 300  $\times$  400 mm, "Procedures and safety instructions for working on high-voltage installations" 1  $\times$ 

**Item no.** 18 2758

	Louis all the same	A DESCRIPTION OF	-
	ALC: NO. BUT	CHORNER	
2005-	ALC: PLOTE AND	1 million (million 1 million)	1.44.44
10000000	Annual State of Long	provide all instant	
-	Second Sec.	A REAL PROPERTY.	
	Log To the second	0.93	to Dellas
1000	2	FREE PARTY	
	Care of the local division of the local divi	Contraction of the	Sector Sector
	CONTRACTOR OF STREET	ACRE DED.CO.	CHERNER
11111	1240.00.000	The second second second	Contraction of the second
A Million	second and a second sec	Contraction of the local division of the loc	And in case of the local division of the loc

# Safety notice

Plastic, size: 420  $\times$  297 mm, "Excerpt from general accident prevention regulations" 1  $\times$ 

**Item no.** 18 2760



# Safety notice

Plastic, size: 400 × 600 mm, "First aid for accidents with electric current" 1 ×

**Item no.** 18 2762

# **BUSINESS EQUIPMENT**



#### Workshop trolley towel roll

White, 2-layer, individually packed, with feeder and carrying handle, wet strength, absorbent, low linting, tear off 500 sheets each 19.5 cm, size: 97.5 x 0.217 m

ltem no. 14 5020



#### Workshop towel roll

Blue, 3-layer, individually packed, high-volume and very absorbent, wet strength, absorbent, low linting, tear off 500 sheets each 36 cm, size: 190 x 0.36 m

Item no. 14 5022

Item no. 14 5024



Cleaning cloth roll holder for workshop towel rolls up to 42 cm roll width





#### **Moist cleaning wipes**

Ideal if areas need to be cleaned with only a small amount of liquid in order to prevent danger from occurring to sensitive technology, for hands, tools, and machines; removes greases, lubricant, adhesive, oil, tar, asphalt, ink, carbon, graphite, and similar soiling; quick-drying without residue, particularly skin-friendly, pleasant fresh fragrance, supplied in a handy, resealable dispenser bucket with 72 wipes Size: 250 x 250 mm

Item no. 14 5018



#### Hand cleaner

With biodegradable abrasive agent (walnut shell flour), good cleaning power when dealing with medium soiling caused by e.g. oils, greases, carbon black, graphite, metal dusts, lubricants; particularly skin-friendly, solvent and soap-free, scented

ltem no. Size 250 ml 15 1626 15 1624 2000 ml

#### Hand cleaner dispenser

For holding the 2-litre hand cleaner soft bottles, in proven quality and function, simple handling and filling, also suitable for use in shower rooms, impact-resistant plastic housing for wall mounting, with drip-proof dosage mechanism Size: 135 x 135 x 320 mm

ltem no. 15 1630



#### Skin care cream

Fast-absorbing cream for hands and face, especially for the care of skin stressed by work and the environment, suitable for all skin types, moderately oily, silicone-free, unscented Size: Tube 100 ml

Item no. 15 1628



#### Street broom

For coarse and stubborn dirt - including moist dirt - on streets and factory surfaces, particularly durable plastic fibres (Elaston), flat wood with handle hole, supplied without handle

ltem no.	Size	Design
14 3024	400 mm	red
14 3028	1.4 m	Wooden handle in addition



### Hall broom

For light and dusty dirt on dry floors, maximum quality made from real horsehair, saddle wood with handle hole, supplied without handle

ltem no.	Size	Design
14 3026	600 mm	black
14 3028	1.4 m	Wooden handle in addition

from wood

14

14



Hand brush
Best quality made from horsehair, with black bristles, made Size: 300 mm
<b>Item no.</b> 3030
Dustpan
Robust design made of painted metal

Item no. 3032

#### All-purpose waste bag

Approx. content of 120 L, made of recyclable polyethylene regenerate film (LD-PE), problem-free incineration at landfill sites thanks to its groundwater-neutral behaviour and no release of harmful gases or substances, film thickness of 80  $\mu\text{m},$  particularly strong and tear-proof, water-proof, 25 bags per roll

. Size: 700 x 1100 mm

ltem no.	Size
14 5001	700 x 1100 mm



### Cover sheet

Clear-transparent, made of recyclable polyethylene regenerate film, dimensions 4 m x 5 m =  $20 \text{ m}^2$ 

HD-PE

LD-PE

ltem no.	Size	Design
14 5004	Film thickness 10 µm	made of
14 5006	Film thickness 15 µm	made of



#### **Construction bucket**

With litre scale, manufactured from premium polyethylene regenerate mixture, recyclable, reinforced bottom, galvanised 5 mm handle Size: 12 litres

ltem no. Size 13 1435 12 litres

#### Non-slip non-woven cover

Absorbent, non-woven material coated with non-slip PE membranes to protect sensitive surfaces and smooth marble, wood (parquet, boards), plastic, laminate, carpet and similar types of floors, prevents the leakage of paints, dilutions, oil, adhesives, plaster, etc., simple to cut and easy to lay, re-usable Size: 1 x 25 m

#### Item no.

14 5007

#### Standard non-woven cover

Absorbent non-woven cotton 180 g/m<sup>2</sup>, with non-woven material coated with PE non-slip membranes to protect sensitive surfaces and smooth floors, easy to cut to size and lay, re-usable Size:  $1 \times 25$  m

**Item no.** 14 5010

#### Overshoes

Ideal for all areas of application, for the prevention of dirt and damage caused by fitter's shoes or work shoes, permeable to air and water vapour, anti-static, abrasion-resistant, lint-free, colour: white

ncenn no.	Design
14 0235	
14 0236	

flat, 1 pair flat with outer sole, 1 pair

Non-sterile, can be worn on both feet, rectangular shape, elasticated opening, hammered PE film (anti-slip effect), free from formaldehyde and chlorine, colour: blue

**Item no. Design** 14 0229

flat, 1000 pcs.



#### Commercial first aid case

Size

Refill pack

350 x 370 x 120 mm

According to DIN 13157, in a modern design with attractive colouring, splash-proof, dust-tight and maintenance-free, can be hung on the wall or removed from the holder for mobile help on site, extremely clear layout thanks to transparent ABS housing and variable interior partitioning, onehand opening and defined opening angle with additional externally accessible plaster dispenser, including room thermometer, "First Aid Instructions", pen, anti-theft protection, with wall bracket, wall plugs and screws



#### Car first aid kit

ltem no.

14 2006 14 2007

According to DIN 13164, only for cars, not permitted for commercial operations, in a strong plastic case

 Item no.
 Size

 14 2008
 225 x 165 x 70 mm

 14 2009
 Refill pack



#### First aid kit

First aid case, dark-green, without partitions, with wall bracket, filled in accordance with DIN 13157 Size:  $280 \times 270 \times 82$  mm

**Item no.** 14 2010





15

Carl Jul. Müller GmbH & Co. KG Hohenhagener Strasse 1 – 5 • D-42855 Remscheid, Germany P.O. Box 10 02 63 • D –42802 Remscheid, Germany Tel.: +49 (0) 2191/37 18 01 Fax (Head office): +49 (0) 2191/37 18-86 • Fax (Sales): +49 (0) 2191/37 18-85 eMail: info@cimco.de • www.cimco.de

4

GB PP1/19

Technical modifications, colour deviations, price changes, errors and misprints reserved. Offer only valid while stocks last. All prices are valid until 30.09.2019 and are quoted exclusive of statutory VAT. Sale only via specialist wholesalers.